Problem #1: fdder()

Write a MATLAB function to construct matrix derivative operators for scalar functions (i.e. no Yee grid). The operators must perform first- and second-order derivatives on a 2D grid and be able to incorporate the following boundary conditions at any boundary: (1) periodic, (2) Dirichlet, and (3) Neumann.

Use the following header for your function:

```
function [DX,D2X,DY,D2Y] = fdder(NS,RES,BC)
% FDDDER Finite-Difference Derivative Operators
응
 [DX, D2X, DY, D2Y] = fdder(NS, RES, BC);
% This MATLAB function generates matrix derivative operators
% for scalar functions on a collocated grid.
% INPUT ARGUMENTS
% ==========
% NS [Nx Ny] size of grid
% RES
% BC
         [dx dy] grid resolution
[BCx BCy] Boundary Conditions
           O=Dirichlet, -1=Periodic, +1=Neumann
응
% OUTPUT ARGUMENTS
% =========
          First-order derivative with respect to x
용 D2X
          Second-order derivative with respect to x
           First-order derivative with respect to y
% D2Y
           Second-order derivative with respect to y
```

Download the tester function test_fdder.p from the course website. Install it in the same directory as your function fdder(). Run the tester function and verify that your function works correctly.

Problem #2: Use fdder()

Type in and run the MATLAB program provided below to create the MATLAB data file 'rdat.mat.' In this data file will be the function A(x,y). Given the grid resolution parameters

$$\Delta x = 0.15$$
 $\Delta y = 0.10$,

calculate the following four derivatives using the derivative matrices calculated by fdder().

$$\frac{\partial A(x,y)}{\partial x} \qquad \frac{\partial^2 A(x,y)}{\partial x^2} \qquad \frac{\partial A(x,y)}{\partial y} \qquad \frac{\partial^2 A(x,y)}{\partial y^2}$$

Plot your results within the same figure window using subplots. Be sure your plots are professional and scaled properly. Include a <u>Graphics Checklist</u> in the appendix of your homework.



MATLAB Code to Generate rdat.mat

```
% HW1 makedata.m
% INITIALIZE MATLAB
close all;
clc;
clear all;
%% DASHBOARD
% GRID
Nx = 100;
Ny = 200;
% FILTER CUTOFF PARAMETER
f = 0.05;
% INITIALIZE RANDOM NUMBERS
rand('seed',0);
%% GENERATE DATA
% INITIALIZE RANDOM DATA
A = rand(Nx, Ny);
% FILTER DATA
nx1 = round(f*Nx);
nx2 = Nx - nx1 + 1;
ny1 = round(f*Ny);
ny2 = Ny - ny1 + 1;
A = fft2(A);
A(nx1:nx2,:) = 0;
A(:,ny1:ny2) = 0;
A = real(ifft2(A));
% SCALE DATA
A = A - mean(A(:));
A = A / max(abs(A(:)));
% SAVE DATA TO FILE
save rdat A;
```